62

LEO SCHRAKAMP'S NURSERIES, INC.

56-38 210th STREET

near Horace Harding Boulevard

BAYSIDE, L. I., N. Y.

BAyside 9-6153

LIBRARY RECEIVED

GROWERSemment of Agriculture

Outstanding Nursery Stock

FOR 35 YEARS!

638 LARKFIELD ROAD EAST NORTHPORT, L. I., N. Y.

Member of

AMERICAN ASSOCIATION OF NURSERYMEN

N. Y. STATE NURSERYMEN'S ASSOCIATION

L. I. NURSERYMEN'S ASSOCIATION

All stock especially selected will be 10% above catalog price.

PRICES are net, F.O.B. our Nurseries and cancel all previous quotations.

TERMS — Cash.

ITEMS which are greatly in demand are in this catalogue.

PACKING or DELIVERY is charged at cost.

GUARANTEE — As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

BALLING AND BURLAPPING

Ball & Burlap (B&B) is free of charge with all evergreens and also with deciduous stock where specified B&B. A charge will be made for digging deciduous stock with ball and burlap where not specified B&B as per the following schedule:

Shrubs	Trees
2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	1¼-1½" caliper 4.50 1½-2" caliper 5.75 2-2½" caliper 11.00 3-3½" caliper 15.00 3½-4" caliper 20.00 4-4½" caliper 28.00 4½-5" caliper 38.00

Platforms are charged for at cost and this amount is refunded or credited when they are returned to us.

This is a condensed listing of our stock. We will be glad to quote on any items omitted from this catalogue.

Unit Price Per 10

Prices subject to change without notice.

Ask for special quotation on quantities of flowering shrubs.

ABELIA grandiflora (Glossy Abelia) Evergreen. Lilac-white tinted flowers. Blooms all summer. 1½-2' B&B field grown 2.50
ABIES douglasi (Douglas Fir) A handsome specimen. Soft, medium green to gray needles.
3-4'
ACER palmatum (Seedling Jap. Maple) Develops into a splendid specimen for lawn planting. 2½-3′ B&B
— palmatum atropurpurem (Red Japanese Maple)
Dwarf tree. Rich purple-red leaves all summer. Best in sun. 2-2½' (grafted) B&B 8.00 2½-3'
— platanoides (Norway Maple) The most popular street tree, retains its green leaves until late autumn.
1½-1¾" cal. (Straight Stem) 8.00 1¾-2" cal 9.00 (per C \$8.00 ea.)
2-2½" cal. 10.00 2½-3" cal. 15.00
 schwedleri (Schwedler Maple) Similar in habit to Norway, foliage comes out in Spring, deep purple.
1½-1¾" cal 8.00 1¾-2" cal 9.00 (per C \$8.00 ea.)
2-2½" cal. 10.00 2½-3" cal. 15.00

- Crimson King (Plant Patent #735)
(Crimson King Maple)
Retains its bright rich color throughout the entire season.
1¼-1½" cal. (Fall 1959) 12.50
AMPELOPSIS tricuspidata (Veitchi)
(Boston Ivy)
Brilliant autumn coloring, blue berries,
turning black; closely self-clinging. Also called Japanese Creeper.
Bare Root
AMELANCHIER canadensis (Downy Shadblow)
White flowers in early Spring before
leaves; fruit are relished by birds. Also
called Juneberry.
3-4' B&B 2.00
J-4 DQD 2.00
AMYGDALUS persica rubra plena (Dble. Red Flowering Peach)
Lovely double red blossoms in early
Spring.
3-4' 3.50
ANDROMEDA arborea (See Oxydendrum)
catesbaei (See Leucothoe)
— japonica (See Pieris)
APPLES
Large sizes —
Heavy in variety B&B 8.50 to 20.00
ARONIA arbutifolia (Red Chokeberry)
Red berries and crimson foliage in the
fall.
3-4' 1.00
(Dlack Chalcharm)
- melanacarpa (Black Choxeberry)
— melanacarpa (Black Chokeberry) Delicate white flowers in May: black
Delicate white flowers in May; black

AZALEA snow (Pure white hose in hose fl leaves. 12-15"	2.00
 Nancy Waterer (The Varying from pale yellow to cup yellow; blooms borne large trusses. 	deep butter- in unusually
11/2-2′	4.50
— amoena (Evergreen. Conspicuous, pu ers. April-May. Leaves turn a green in winter.	
12-15"	2.00
15-18"	3.00
— babehuff	
Beautiful orange-red, ting large trusses.	
2-21/2'	4.50
— calendulacea The great flame Azalea of C tains; very showy, burnt of 2-2½' 3-4'	range flowers.
— hinodegiri (H	inodegiri Azalea)
Evergreen. Larger leaves growth than Amoena; flowered.	and looser ers very bright
12-15"	2.00
15-18"	
— kaempferi	(Torch Azalea)
Alice — salmon red, dark b	lotch
Fedora — finest deep pink	
John Cairns — blood red	
Kathleen — rosy red	0.70
18-24"	
2-21/2'	4.50

— ledifolia alba (Snow Azalea)
Evergreen. Large, single, white flowers.
Freely produced. Makes a striking back-
ground for Azalea hinodegiri, blooming
same time.
15-18" 3.50
18-24" 4.50
— macrantha (Red Salmon Azalea)
Evergreen. A beautiful plant, with large
flowers that appear at intervals, and not
at one time like the preceding. June blooming.
12-15" 4.50
15-18" 5.50
- mollis (Chinese Azalea)
Large, showy flowers in shades of orange
and red. May-June. Large, hairy leaves.
Likes sun.
18-24" 3.00
2-21/2' 3.50
— mucronulatum (Dahurian Azalea)
The earliest Azalea to bloom, along with
forsythia. Violet-pink.
15-18" 3.50
18-24" 4.50
— poukhanensis (Korean Azalea)
Single, purple-lilac flowers are profusely
borne in May; very hardy.
15-18" 3.50
18-24" 4.50
— progress
Evergreen. Very hardy — pink or red
flowers.

. 1

18-24"

3.50

4.50

BERBERIS julianae (Wintergreen Barberry) Brilliant colored foliage in Fall and throughout Winter. Blue-black fruit. 1½-2' B&B
— thunbergii (Japanese Barberry) A splendid, low hedge plant or for massing; brilliant autumn coloring; scarlet berries. 1½-2'
BERBERIS thun. atropurpurea
(Red Jap. Barberry) A very desirable red-leaved variety of the above. For best color plant in sun. $1\frac{1}{2}-2^{2}$
BETULA alba (European White Birch) 2-21/4" cal. 12-14' B&B 18.00
- laciniata (Cutleaf Weeping Birch) Graceful pendulous habit, ideal specimen plant, one of the whitest of white birches. 8-10' B&B 10.00
CALYCANTHUS floridus (Sweetshrub) An old garden favorite with fragrant dark reddish-brown flowers. 3-4'
CATALPA bungei (Umbrella Tree) 6-7' heavy 8.50
Outstanding specimen tree with blue needles and characteristic branching habit.
4-5' B&B 12.50
— deodara (Deodar) Light bluish-green needles and very graceful in appearance. 4-4½'
. F .

CERASUS (See Prunus)

outrices (see France)	
CERCIS canadensis (American Redbud) Rosy-pink April, very effective when planted with Dogwood; good foliage. Also	
called Judas Tree. 8-10' B&B heavy 12.50	
CHAMAECYPARIS filifera	
(Thread Retinospora)	
Evergreen. Has long, stringy, dropping branches and bright green foliage. Graceful and decorative.	
3-4' 4.50	
4-5' 5.50	
— filifera aurea (Golden Thread Cypress)	
18-24" 6.50	
- obtusa gracilis (Slender Hinoki Cypress)	
2½-3′ 6.50	
— obtusa cripsi — golden	
(Cripp's Hinoki Cypress)	
2½-3′ 7.50	
— pisifera (Sawara Retinospora) Evergreen. Quick grower. Loosely	
pyramidal.	
2-21/2' 2.75	
21/2-3' 3.25	
3-3½' heavy 3.75	
3½-4′ 4.50	
4-5' 5.50	
- aurea (Golden Sawara Retinospora)	
18-24" 2.50	
2-21/2' 2.75	
2½-3′ 3.25	
3-31/2' 3.75	
31/2-4' 4.50	
4-5' 5.50	
5-6' 6.50	
6-8' 8.00	

- plumosa (Plume Retinospora)
Evergreen. Forms a dense cone of fine
texture. Useful for shearing into a formal
shape.
18-24" 2.50
0.044
2½-3′
3-3½' heavy 3.75
4-4½' 4.50
CHAMAECYPARIS plumosa aurea
(Goldenplume Retinospora)
18-24" 2.50
2-2½' 2.75
2½-3′ 3.25
3-4' heavy 3.75
— plumosa lutescens
(Dwarf Yellowplume Retinospora)
Evergreen. Forms a low broad round
topped bush; bright yellow-tipped
branchlets.
2-21/2' 3.50
2½-3′ 4.50
3-31/2' 5.50
- squarrosa (Moss Retinospora)
Evergreen. Foliage blue-gray, feathery and
dense.
1½-2′ • 2.00
2-2½'
2½-3′ 3.50
242-5 3.50
CLETHRA alnifolia (Summer Sweet)
Spikes of very fragrant flowers. July-
September. Prefers moist, shady places.
Also called Pepperbush.
3-4' 1.00
CORNUS florida (Whiteflowering Dogwood)
Among the best of the spring-flowering
trees. White blossoms in May and bright red berries in clusters in Fall.
5-6′ B&B 5.50
6-7' 8.00

- rubra (Pink flowering Dog	(boow
Beautiful pink flowers in May. Red ber	ries
grace the Fall foliage.	
4-5' B&B 6.5	
5-6' 8.50	
6-7')
- kousa (Kous Dog	
White flowers in June. Conspicuo	us,
cherry-like, scarlet fruits, attractive birds.	to
3-4' B&B 2.5	0
5-6' 6.5	
6-7' 7.5	
7-8' 8.5	0
COTONEASTER horizontalis and praecox	(
(Rock Coton	
Small box-like leaves; bright red bern	ies;
effective among rocks.	
Potgrown 2.0	0
- divaricata (Spreading Coton	easter)
Pink flowers in June and bright red ber	ries
in Fall.	
3-4' B&B 2.2	.5
- franchetti (Franchet Coton	easter)
Leaves dark green, white tomen	
underneath. Berries bright orange.	
3-3½′ B&B 2.2	5
CRATAEGUS oxycantha pauli	
(Paul English Hav	wthorn)
Double scarlet flowers.	
6-7' B&B 8.5	50
CRATAEGUS B&B 9.5	50
CRYPTMERIA japonica lobbi	
(Lobb Crypto	omeria)
Forms narrow, irregular column, com	pact
and picturesque.	
21/2-3′ 4.5	50
. 0 -	

CYDONIA japonica (Flowering Quince) Scarlet flowers in April, May. 18-24"
Profuse bloomer, pure white, May. 2-21/2' 1.00
— Pride of Rochester (Large Flowering Deutzia)
Large flowers, tinted pink, June.
3-4'
4-5'
EXOCHORDA grandiflora (Common Pearlbush)
Dazzling, white flowers, May. Improved by
pruning.
5-6' 1.50
ENKIANTHUS campanulatus (Red Vein Enkianthus)
Handsome erect shrub of great orna-
mental value.
2½-3′ 3.50
3-4' 4.00
5-6' 6.50
EUONYMUS alatus compacta
(Dwarf Wing Euonymus)
2-2½' B&B 2.50
FAGUS sylvatica riversi (Purple Beech) Compact of habit. Beautiful dark purple leaves.
4-5′ B&B 20.00
FORSYTHIA spectabilis " Spring Glory
4-5' 1.00
GLEDITSIA Moraine (Plant Pat. 836)
(Moraine Locust)
An improved, thornless, seedless Honey-
locust.
1½" cal. B&B 12.50

GORDONIA alatamaha (Franklinia)
Large creamy white blossoms in Sept. Foliage turns scarlet in Fall.
5-6' B&B
GRAPES field grown 1.25
HIBISCUS syriacus (Althea-Rose of Sharon) Flowers August to September.
3-4′
HYDRANGEA paniculata
— paniculata grandiflora (P. G. Hydrangea) Single large white flowers in August. 3-4'
- standard paniculata (Tree Hydrangea)
B&B 2.50
3.50
— hortensis (pink and blue) Heavy 2.50
ILEX crenata (Japanese Holly)
Evergreen. Box-like leaves, rich deep green. Stiff branching, makes a good hedge. Black berries.
2-2½'
2½-3′ 6.00 3-4′ 7.50
0 1
4-5' 8.50
4-5'
4-5' 8.50
4-5' 8.50 5-6' 10.50 — convexa (bullata) (Box-leaf Ja. Holly) Evergreen form of slow growth. Shiny convex foliage. 15-18" 3.00
4-5'
4-5' 8.50 5-6' 10.50 — convexa (bullata) (Box-leaf Ja. Holly) Evergreen form of slow growth. Shiny convex foliage. 15-18" 3.00 18-24" 3.50 2-2½' 4.50 — glabra (Inkberry)
4-5' 8.50 5-6' 10.50 — convexa (bullata) (Box-leaf Ja. Holly) Evergreen form of slow growth. Shiny convex foliage. 15-18" 3.00 18-24" 3.50 2-2½' 4.50

- rotundifolia(Round Leaf Japanese Holly)Evergreen. Large dark green foliage. $1\frac{1}{2}$ - 2^{\prime} 3.00 2 - $2\frac{1}{2}^{\prime}$ 3.50
— verticillata (Winterberry) Bright red berries persisting to mid-winter. 3-4'
JUNIPER excelsa stricta (Spiny Greek Juniper) Evergreen. Compact, well-shaped pyramid. Foliage gray-green. 18-24"
JUNIPER hetzi (Spreading Blue Juniper)
Blue-green feathery foliage.
1½-2' 3.50 2-2½' 4.00
- pfitziana (Pfitzer Juniper)
Gray-greenfoliage, bushy habit.
1½-2′ 3.00
2-2½' 3.50
KALMIA latifolia (Mountain Laurel) Evergreen. Most effective in June when the clusters of pink flower open. Good foliage.
18-24" nursery grown 3.00
2-21/2' 3.50
KOELREUTERIA paniculata (Goldenrain Tree) 6-7' B&B 12.50
KOLKWITZIA amabilis (Beautybush) Covered in early May with mass of pink flowers. 4-5'
LABURNUM vossi (Golden Chain)
Attractive, small tree with yellow, pea- shaped flowers in long racemes.
7-8' B&B 8.50
Heavy B&B

LEUCOTHOE catesbaei (Dro	oping Leucothoe)
Evergreen. Attractive white	e flowers, May.
Handsome, lustrous leave	s, rich autumn
coloring. 15-18"	2 50
18-24"	
LIGUSTRUM ovalifolium	
Most popular hedge plant	
1½-2′	
2-3'	
3-4'	
4-5'	
— globe	(Ball Privet)
2′	2.00
3′	
31/2'	
8	(Golden Privet)
4' bushy B&B	
— regelianum	(Regal Privet)
18-24"	
LONICERA fragrantissima	
Fragrant, white flowers. A	nter Honeysuckle)
4-5'	
	(White Morrow)
— morrowi 2-3'	
— tat. rosea (Pink Tata	
3-4'	
•	ese Honeysuckle)
2 yr	
MAGNOLIA soulangeana & n	
	Saucer Magnolia)
Large, purplish-pink and v May.	
4½-5′ B&B Outstanding	
5-6′	
6-7'	12.00

— stellata	(Star Magnolia)
	habit, fragrant, semi- s appearing long be-
7-8' heavy	20.00
	Flowering Crab Apples) use flowers in early
- atrosanguinea	(Carmine Crab)
— eleyi	(Ely Flowering Crab)
— floribunda	(Jap. Flowering Crab)
- ioensisplena	(Bechtel Crab)
— red silver	(Red Silver Crab)
— scheideckeri 7-8' B&B	(Scheidecker Crab)
- almey B&B extra hea	avy 12.50
OXYDENDRUM arboreu	ım (Sourwood)
	of white flowers,
August. Good leat Autumn coloring.	hery foliage. Fine
	8.50
	10.00
PACHYSANDRA termina	alis (Japanese Spurge)
Evergreen. One of th for green effect in sh	e best bedding plant nady place.
	.05
Potted 21/4"	
PEONIES B&B (best varieties	2.50
PEACHES in variety —	
PEARS heavy — in vario	
PHILADELPHUS corona	arius (Sweet Mockorange)
White, fragrant flower	
May-June. 4-5'	75
5-6' heavy	

 virginalis (Virginal Mockorange) Beautiful semi-double flowers produced intermittently all summer. 3-4'
PICEA alberta (Alberta Spruce) Slow growth with short twiggy branches. 2-2½'
— excelsa (Norway Spruce) Dark green foliage, Rapid growth. $2\frac{1}{2}$ -3' 2.50 3 - $3\frac{1}{2}$ ' 3.00 $3\frac{1}{2}$ -4' 3.50 4 -5' 5.00
pungens glauca (Colorado Blue Spruce) Evergreen. Pleasing blue color. 3-4'
PIERIS floribunda (Mountain Andromeda) Evergreen. Waxy-white flowers in May. Good deep green foliage, best in half shady places. 15-18"
— japonica (Japanese Andromeda) Evergreen. Thick shiny leaves, turning bronze in winter. Drooping clusters of small, white flowers open in May. 18-24" light
PINUS densiflora (Japanese Red Pine) Evergreen. Foliage dark green.
3-3½' 6.50 3½-4' 7.00 4-5' 11.00 5-6' 15.00

— thunbergi (Japan	ese Black Pine)
Evergreen. Rich dark green	foliage and
long needles.	
3-3½′	
3½-4′	
4-5'	
5-6'	15.00
— strobus	(White Pine)
Evergreen. Silvery green ne	
3-31/2'	6.50
PLUMS in variety	
Heavy B&B 8.5	0 to 16.50
PLATANUS acerifolium	
(European Planetree or Euro	pean Sycamore)
A good shade tree, withstand	ds smoky city
conditions.	10.00
1½-1¾" cal	
1¾-2" cal	
POPULUS nigra italica (Lo	
Tall spire-like character; val scape work and screens.	ued for land-
8-10'	2.50
PRUNUS cerasifera blieriana	2.50
	ırple-leaf Plum)
- Newport	pio ioui i iuiii,
pissardi	
— thundercloud	
Purple foliage. Should be	oruned every
year for best color effect.	,
6-8' B&B	8.50
- glandulosa rosea	
(Double Pink Flow	wering Almond)
Flowers very showy in May.	
2-21/2'	
— subhirtella pendula (Weepi	
Graceful tree covered with pi	ink blossoms
in early Spring.	40.55
No. 1 6 yr. B&B	12.50
4-	

- kwansen - dble pink
(Jap. Flowering Cherries)
5-6' B&B standard 10.50
B&B heavy 16.50
— naden — dble shell pink Heavy 20.00
RETINOSPORA (See CHAMAECYPARIS)
RHODODENDRON carolinianum (Carolina Rhododendron)
Bright pink and white flowers in May or June.
18-24" 4.50
- catawbiense (Catawba Rhododendron)
Large rosy-purple flowers in May or June.
2-2½' 5.00
2½-3′ 6.50
3-3½' 8.00
— maximum (Rosebay Rhododendron)
Light pink flowers May-June. Large hand-
some foliage. Excellent for city planting.
3-3½' 5.00
3½-4′ 6.00
RHODODENDRON hybrid — Named varieties
2-2½' heavy 8.50
2½-3' heavy
3-3½' heavy
RHODOTYPIS kerriodes (Jethead
White flowers, May, June. Shiny bead-like
black berries all winter. 3-4'
RIBES 4'
ROSES — HYBRID AND CLIMBERS
ROSES — HYBRID AND CLIMBERS Many different varieties and colors. Northern Grown No. 1. Best for Long Island. 6½" pots 1.20

SALIX babylonica (Babylon Weeping Willow)
— niobe — golden bark (Niobe Weeping Willow)
Particularly appropriate for waterside planting with its long pendulous branches. 1½" cal
SORBUS americana (Indian American Mt. Ash)
Very ornamental tree with bright red fruits in large clusters.
6-8' heavy berried type B&B. 20.00
SORBUS aucuparia (Real European Mountain Ash)
A valuable tree on a small lawn; the orange berries are quite striking in Fall. 1-1½" cal. B&B
SPIREA Anthony Waterer
Rose pink flowers all summer. Good fall foliage color.
2-3' 1.50
— prunifolia (Bridlewreath) White, May, dark green shining foliage, turning orange in Autumn. 3-4'
van houttei (Vanhoutte Spirea) White, May-June. Graceful habit. Extremely free flowering and very adaptable. 3-4'
SYMPHORICARPOS racemosus (Snowberry)
Conspicuous, white berries, attractive foliage.
3-4′
 vulgaris (Coralberry) Coral-red berries through winter. Good for bank planting.
3-4′
• 17 •

SYRINGA persica	(Persian Lilac)
Blooms freely, lilac,	May-June.
3-4' heavy B&B.	2.50
4-4½'	3.50
HYBRIDS (named vari	eties)
2-3′ B&B	2.50
	3.50
	4.50
	5.00
- vulgaris	(Common Purple Lilac)
3-4′	2.50
TAXUS brevifolia	(Dwarf Jap. Yew)
	irregular spreading
habit.	
	3.50
	4.50
2-21/2'	6.50
and compact.	(Brown's Yew) T. cusp. Very dense
cuspidata	(Jap. Spreading Yew)
•	ves. Spreading, bushy
15-18"	3.00
18-24"	3.50
	5.00
2½-3′	7.50
- cusp. capitata	(Upright Japanese Yew)
Erect, symmetrical,	pyramidal form.
3-4' heavy	10.00
	15.00
	20.00
6-7′	
	30.00
8-9′	36.00

- densiformis (Compact Spreading Yew) 15-18" 4.50
18-24" 5.50
— hatfieldi (Hatfield Yew)
Columnar type similar to Hicks Yew but more compact.
1½-2′ heavy 4.50
2½-3' heavy 7.50
— hicksi (Hicks Yew)
Columnar form with upright branches. 15-18" 3.00
18-24"
2½-3′ regular 6.50
2½-3' heavy 7.50
TAXUS intermedia (Hybrid Yew)
More upright and vase-shaped than T. cusp.
15-18" 3.50
2-2½' 6.50
2½-3′ 10.00
— kelseri (Kelsey Yew)
2-2½' heavy 6.50
2½-3′ heavy 7.50
— moon's columnaris (Column Jap. Yew) 18-24" 3.25
- repandens (Spreading English Yew)
18-24" 5.50
2-2½' 7.50
— thayeri (Thayer Yew)
18-24" 3.25
— vermeulen (Vermeulen Yew) 2-2½' 6.50
— wardi (Ward's Yew) Spreading habit with dense foliage and berries.
18-24" 4.50
2-2½′ 6.50
0.00

THUJA occidentalis (American Arborvitae)
Pyramid shape with broad base. Good
for hedge.
2½-3′ 2.50
3-31/2' 3.00
3½-4′ 3.50
4-41/2' 4.00
4½-5′ 4.50
5-6' 6.50
6-7' 7.50
7-8′ 9.00
— compacta (Hovey Arborvitae)
Almost globe-shaped. Rich green.
18-24" 2.00
2-21/2' 2.50
- lutea (George Peabody)
New growth tipped a golden yellow.
4-41/2' 5.00
4½-5′ 6.00
4½-5′
5-6'
5-6'
5-6'
5-6'
5-6'
5-6'
5-6' 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. 2-2½' 2.50 2½-3' 3.00 3-3½' 3.50 3½-4' heavy 4.50 4-5' 5.00
5-6'
5-6' 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. 2-2½' 2.50 2½-3' 3.00 3-3½' 3.50 3½-4' heavy 4.50 4-5' 5.00 5-5½' 6.50 — pyramidalis (Pyramid Arborvitae)
5-6' 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. 2-2½' 2.50 2½-3' 3.00 3-3½' 3.50 3½-4' heavy 4.50 4-5' 5.00 5-5½' 6.50 — pyramidalis (Pyramid Arborvitae) Retains bright green coloring throughout
$5-6'$ 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. $2-2\frac{1}{2}$ 2.50 $2\frac{1}{2}$ 3.00 $3-3\frac{1}{2}$ 3.50 $3\frac{1}{2}$ $4-5'$ 5.00 $5-5\frac{1}{2}$ — pyramidalis (Pyramid Arborvitae) Retains bright green coloring throughout winter.
$5-6'$ 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. $2-2\frac{1}{2}$ 2.50 $2\frac{1}{2}-3'$ 3.00 $3-3\frac{1}{2}$ 3.50 $3\frac{1}{2}-4'$ heavy 4.50 $4-5'$ 5.00 $5-5\frac{1}{2}$ 6.50 — pyramidalis (Pyramid Arborvitae) Retains bright green coloring throughout winter. $2\frac{1}{2}-3'$ 2.50
5-6' 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. 2-2½' 2.50 2½-3' 3.00 3-3½' 3.50 3½-4' heavy 4.50 4-5' 5.00 5-5½' 6.50 — pyramidalis (Pyramid Arborvitae) Retains bright green coloring throughout winter. 2½-3' 2.50 3-3½' 3.00
5-6'
5-6' 7.50 — nigra (Dark American Arborvitae) Similar to American, only darker green. $2-2\frac{1}{2}$ ' 2.50 $2\frac{1}{2}-3$ ' 3.00 $3-3\frac{1}{2}$ ' 3.50 $3\frac{1}{2}-4$ ' heavy 4.50 4.50 $4-5$ ' 5.00 $5-5\frac{1}{2}$ ' 6.50 — pyramidalis (Pyramid Arborvitae) Retains bright green coloring throughout winter. $2\frac{1}{2}-3$ ' 2.50 $3-3\frac{1}{2}$ ' 3.00 $3\frac{1}{2}-4$ ' heavy 3.50 $4-4\frac{1}{2}$ ' 4.00
5-6'

- aurea nana (Berckman's Golden Arborvitae)
15-18" 2.00
18-24" 2.50
TUSGA canadensis (Canada Hemlock)
Most graceful and adaptable. The spread- ing horizontal branches making effective shadow effects.
2-2½' 4.50
3½-4′ heavy 8.50
VIBURNUM americanum (oxycoccos) (American Cranberrybush)
Bright scarlet berries in large bunches
persisting all winter.
4-5′ 1.00
— betuliana
Bright scarlet berries.
3-4' 1.00
burkwoodi
A hybrid plant similar to carlesi but superior in foliage which is semi-ever-green and glossy. Fragrant pink clusters in May.
4-4½′ B&B 3.50
— carlesi (Fragrant Viburnum) One of the most desirable, semi-dwarf flowering shrubs with wonderfully fragrant flower clusters of white shaded with pink. 2½-3′ B&B 3.50
— cassinoides (Withe-rod)
White, June-July. Berries pink changing to dark blue. Rich autumn coloring.
3-4' 1.00
— dentatum (Arrowwood) White flowers, May-June. Blue-black berries. Excellent in wet soil. 3-4' 1.00
• 21 •

dilatatum (Linden Viburnum)
White, May-June, scarlet showy berries
persisting.
3-4' 1.00
- molle (Kentucky Viburnum)
Good fall coloring.
3-4' 1.00
— opulus sterile (Common Snowball)
3-4′ B&B 2.50
prunifolium (Blackhaw)
Pure white flowers, April-June. Blue-black
berries.
2-3' 2.50
3-4' 3.50
-1-1-1-1
— sieboldi
White, May-June. Handsome dark green leaves.
5-6' 4.50
— theiferum (setigerum) (Tea Viburnum)
Brilliant, scarlet berries in clusters. A
spectacular fall item.
2-3' B&B 1.50
3-4' 2.00
4-5' 2.50
- tomentosa (Doublefile Viburnum)
White flowers, June.
3-4' 1.00
wrighti
A native of Japan. Bright scarlet fruits
produced abundantly.
3-4' 1.00
VITEX agnus castus (Lilac Chaste-tree)
Dainty shrub, lilac flowers. August to
September.
3-4' B&B 1.50
20

WEIGELIA Eva Rathke
(Red Flowering Weigelia)
Carmine, June-August. Most floriferous.
3-31/2' 1.00
— nana variegata (Variegated Weigelia)
Pink flowers; variegated leaves.
3-4' 1.00
rosea (Pink Weigelia)
Showy, pink flowers freely produced. June.
4-4½' 1.00
WISTERIA mulijunga (Longcluster Wisteria)
Drooping racemes of purple flowers. Unusually fine to cover a trellis or pergola.

Seedlings bare root 2.50 Hybrid grafted — 8-10' B&B . 12.50



LEO SCHRAKAMP'S NURSERIES, INC.

Growers of
Outstanding
Nursery Stock
For 35 Years!